
REVISION HISTORY				
REV.	DESCRIPTION	DATE	ECO	BY
A	RELEASED FOR QUOTE	12/17/2024		IESSEX

MIRROR NUMBER:

MADE FROM:

CHECK IN DATE/TIME: Tuesday, December 17, 2024 10:08:44 AM



NOTES:

1. THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
2. DIMENSIONS ARE FROM INSIDE POOL PANELS.
3. ROPE AND FLOAT ASSEMBLY SHOULD BE INSTALLED IN ACCORDANCE WITH CURRENT ANSI/ASPS/ICC REGULATIONS
4. HYDRA LINER TRACK FOR STEPS IS INSTALLED WITH THE BARB FACING THE RISER WALL ON THE STEP.

EXCAVATION NOTES:

5. ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE.
6. SOIL TO HAVE MINIMUM BEARING CAPACITY OF 1500 PSF.
7. LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND ELEVATION.
8. SEE "OVER DIG DETAIL", IN INSTALLATION MANUAL, FOR EXCAVATION AROUND POOL.
9. FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL.
10. BACK FILL WITH NON-EXPANSIVE MATERIAL.
11. FOLLOW ALL CURRENT ANSI / APSP / ICC GUIDELINES FOR RESIDENTIAL POOLS

IMPORTANT NOTES:

THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.

ITEM	FILE NAME	DESCRIPTION	CUSTOMER DRAWING #	VENDOR PART #	QTY.
1	BRACE	BRACE, 5 TAB, PINNACLE - 400 SERIES	HP499	HP499	20
2	PANEL, 2' LONG	PANEL, 2' LONG - 500 SERIES	HP502	HP502	2
3	PANEL, 6 IN RADIUS, 6 IN X 6IN	PANEL, 6" RADIUS - 500 SERIES	HP556	HP556	4
4	PANEL, 6' LONG	PANEL, 6' LONG - 500 SERIES	HP506	HP506	13
5	PANEL, 6' LONG WITH 1084	PANEL, 6' LONG WITH 1084 SKIMMER - 500 SERIES	HP5064	HP5064	1

ENGINEERING DRAWING NUMBER: 00066482

WEIGHT: lbs
VOLUME: Inch³
COLOR:
HEAT TREAT:
FINISH:
TEXTURE:


UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES
DECIMALS: X ± .1
XX ± .01
XXX ± .001
XXXX ± .0005
ANGULAR: X ± 0.5
THIRD ANGLE PROJECTION


DESIGNED BY: IESSEX
CREATION DATE: 6/3/2013
DETAILED BY: IESSEX
DETAILED DATE: 12/17/2024
LAST REVISED BY: iessex
LAST REVISED DATE: 12/17/2024
MATERIAL:

HYDRA POOLS


TITLE: LAYOUT, 16' X 32', RECTANGLE, 6" RADIUS, 6' DEEP,,1-1084, 500 SERIES

PART NUMBER: 00066482
SCALE: 1:128
SHEET: 1 OF 3
SIZE: A





AREA	PERIMETER	VOLUME
SQ. FT.	FT.	U.S. GALLONS
511.79	95.14	15112.95



NOTES:

1. THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
2. DIMENSIONS ARE FROM INSIDE POOL PANELS.
3. ROPE AND FLOAT ASSEMBLY SHOULD BE INSTALLED IN ACCORDANCE WITH CURRENT ANSI/ASPS/ICC REGULATIONS
4. HYDRA LINER TRACK FOR STEPS IS INSTALLED WITH THE BARB FACING THE RISER WALL ON THE STEP.

EXCAVATION NOTES:

5. ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE.
6. SOIL TO HAVE MINIMUM BEARING CAPACITY OF 1500 PSF.
7. LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND ELEVATION.
8. SEE "OVER DIG DETAIL" FOR EXCAVATION AROUND POOL.
9. FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL.
10. BACK FILL WITH NON-EXPANSIVE MATERIAL.
11. FOLLOW ALL CURRENT ANSI / APSP / ICC GUIDELINES FOR RESIDENTIAL POOLS

IMPORTANT NOTES:

THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.

ENGINEERING DRAWING NUMBER: 00066482

WEIGHT: lbs
VOLUME: 15112.95 Inch³
COLOR:
HEAT TREAT:
FINISH:
TEXTURE:

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES
DECIMALS: X ± .1
XX ± .01
XXX ± .001
XXXX ± .0005
ANGULAR: X ± 0.5
THIRD ANGLE PROJECTION


DESIGNED BY: IESSEX	CREATION DATE: 4/3/2013
DETAILED BY: IESSEX	DETAILED DATE: 12/17/2024
LAST REVISED BY: iessex	LAST REVISED DATE: 12/17/2024
MATERIAL:	

HYDRA POOLS

TITLE: LAYOUT, 16' X 32', RECTANGLE, 6" RADIUS, 5' DEEP, HS110N, 1- LIGHT,1- 1084, 500 SERIES

SIZE:	SHEET:	SCALE:	PART NUMBER:	REV
A	2 OF 3	1:96	00066482	A

MIRROR NUMBER:
MADE FROM:
CHECK IN DATE/TIME: Tuesday, December 17, 2024 10:08:30 AM



MIRROR NUMBER:

MADE FROM:

CHECK IN DATE/TIME: Tuesday, December 17, 2024 10:08:44 AM

ENGINEERING DRAWING NUMBER: 00066482	WEIGHT: lbs VOLUME: Inch³ COLOR: HEAT TREAT: FINISH: TEXTURE:	**UNLESS OTHERWISE SPECIFIED** DIMENSIONS ARE IN INCHES TOLERANCES DECIMALS: X ± .1 XX ± .01 XXX ± .001 XXXX ± .0005 ANGULAR: X ± 0.5 THIRD ANGLE PROJECTION	DESIGNED BY: IESSEX DETAILED BY: IESSEX LAST REVISED BY: iessex MATERIAL:	CREATION DATE: 6/3/2013 DETAILED DATE: 12/17/2024 LAST REVISED DATE: 12/17/2024	HYDRA POOLS TITLE: LAYOUT, 16' X 32', RECTANGLE, 6" RADIUS, 6' DEEP,,1-1084, 500 SERIES PART NUMBER: 00066482 SCALE: 1:60 SHEET: 3 OF 3 SIZE: A